

TAPING INSTRUCTIONS SI Joint Pain

GETTING STARTED





Be sure the skin is free from oils, lotions, and moisture before applying. Cleaning the skin with alcohol will ensure a strong adhesive bond.

"I" AND "Y" STRIPS





STRIPS CAN BE APPLIED IN TWO WAYS:



Anchored at the end. Remove 2" of paper from end of tape and apply.



Anchored from middle. Tear paper in middle and



peel back paper to expose middle section of tape.





Always attach the last 2" without stretching tape.

SETTING ADHESIVE



To ensure proper setting of the adhesive, rub hand over tape to secure the edges.









Stretch tape as directed for each application.



Copyright © 2009 by Lumos, Inc All rights reserved

APPLYING THE TAPE





While bending at waist, fully stretch the middle section of an "I" strip and apply over the point of pain as shown.





Apply ends as shown.

We'd love to hear from you. Send pictures, video or just tell us how your using KT Tape and how it helped:



www/facebook.com/kttape



www.twitter.com/kttape



www.kttape.com

1. Be sure that the tape is at room temperature

HELPFUL TIPS

or warmer before applying.

- 2. Make every effort to apply tape directly to skin and not on top of other tape. KT Tape does not adhere well to itself and may loosen prematurely if the ends are not attached to
- 3. KT Tape is water resistant and can remain attached during water activities and bathing. The tape should be applied one hour before entering the water or engaging in heavy physical activity to make sure that the adhesive is set.
- 4. Do not use KT Tape as a first aid bandage or on open wounds.
- 5. KT Tape can be worn for up to five days per application. Discontinue use immediately if KT Tape results in increased soreness or skin irritation.

These instructions provide general techniques in applying KT Tape for common conditions and are for educational purposes only. They are not meant to replace professional medical advice or treatment. Muscle and joint pain can and often does indicate serious conditions requiring professional medical evaluation and treatment. Seek professional care for persistent pain and dysfunction.